

SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: **Bis(Trimethylsilyl)Telluride**

FORMULA: $C_6H_{18}TeSi_2$

CAS NO: 4551-16-0

SYNONYMS: Hexamethyldisilatellurane

Intended Use: For R&D use only.

MANUFACTURER:

WONIK MATERIALS NORTH AMERICA
N115 W19392 EDISON DRIVE
GERMANTOWN, WI 53022 USA

PHONE: +1-262-293-0251
FAX: +1-262-253-1258

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC +1-703-741-5971
FOR TECHNICAL INFORMATION CONTACT: +1-262-293-0251

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION:

Flammable Liquids (Category 4)

Acute Toxicity, Oral (Category 3)

Acute Toxicity, Inhalation (Category 3)

Pictogram



Signal Word

DANGER

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

Hazard Statements

H227	Combustible liquid
H301+H311+H331	Toxic if swallowed, in contact with skin, or if inhaled

Precautionary Phrases

P210	P210 - Keep away from heat, ignition sources. - No smoking
P261	P261 - Avoid breathing vapors
P264	P264 - Wash hands thoroughly after handling
P270	P270 - Do not eat, drink or smoke when using this product
P271	P271 - Use only outdoors or in a well-ventilated area P330 - Rinse mouth
P280	Wear protective gloves/protective clothing/eye protection/face protection
P301+P310	If swallowed: Immediately call a doctor
P302+P352	If on skin: Wash with plenty of water
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing - Call a doctor
P312	Call a Poison center/ doctor if you feel unwell.
P370+P378	In case of fire: Use carbon dioxide (CO ₂), dry powder to extinguish
P403+P233	Store in a well-ventilated place. Keep container tightly closed
P403+P235	Keep in a cool place
P405	Store locked up
P501	Dispose of contents/container to licensed waste disposal facility.

HMIS Ratings (SCALE 0-4):

Health: 4

Flammability: 2

Reactivity: 1

SPECIAL: WATER REACTIVE

NFPA Rating:

Health: 4


Fire: 2

Reactivity: 1

SPECIAL: WATER REACTIVE

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name: Bis(trimethylsilyl)Telluride
Synonyms: Hexamethyldisilatellurane
Formula: C₆H₁₈TeSi₂
CAS #:



4551-16-0

Molecular weight: 273.98 g/mol

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Remove contacts if easily possible. Get medical advice/attention.

SKIN EXPOSURE: Wash off immediately with plenty of water for at least 15 minutes. Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay.

INHALATION: Remove victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. If not breathing administer CPR. If having trouble breathing give oxygen if available. Seek immediate medical attention.

INGESTION: Never give anything by mouth to an unconscious person. Turn victims head to the side. Seek immediate medical attention.

SECTION 5 FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:

Suitable Dry chemical or carbon dioxide.

Unsuitable Do Not Use Water.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS:

Material readily ignited with flame, sparks, friction or heat. Burning material may release toxic and corrosive fumes.

ADVICE FOR FIREFIGHTERS:

Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Evacuate personnel to safe area. Wear chemical resistant/ fire-retardant gloves, chemical resistant/flammable resistant suit and boots, and self-contained breathing apparatus. Remove all sources of ignition.

ENVIRONMENTAL PRECAUTIONS

Do not allow product enter drains or streams.

METHODS AND MATERIALS

Spillage of the material can create widespread odor problem. Small spills can be absorbed into vermiculite or other suitable absorbent. Odor can be attenuated by slurring material adsorbed onto vermiculite with 3-5% aqueous sodium hypochlorite (bleach). Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Store in a cool, dry, well-ventilated area. Causes severe burns. Do not breathe vapor/fumes. Avoid contact with skin and eyes. Keep away from sources of ignition. No smoking. Prevent buildup of electrostatic charge.

CONDITIONS FOR SAFE STORAGE

Keep container tightly closed in a dry and well-ventilated place. Store in a cool place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect from humidity and water. Keep container tightly sealed.

INCOMPATIBILITIES: Keep away from water, moisture/humidity in atmosphere.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

Bis(trimethylsilyl)telluride (4551-16-0)

USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ (as Te)

APPROPRIATE ENGINEERING CONTROLS

Handle in an enclosing hood with exhaust ventilation. Provide local exhaust or general room ventilation. Mechanical with caustic scrubber is recommended.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION (Cont.)

PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION: Approved safety glasses w/side shields, or safety goggles and face shield. Contact lenses should not be worn.

SKIN PROTECTION: Wear appropriate chemical resistant gloves, rubber, neoprene

VENTILATION: Chemical fume hood.

RESPIRATOR: Use respirators and components tested and approved under appropriate government shows air purifying respirators are appropriate use a full-face respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

ADDITIONAL PROTECTION: DANGER! Water/Moisture reactive. Avoid contact with skin, eyes, clothing, shoes. Do not inhale vapors.

Use with adequate ventilation. Use in a controlled environment. Avoid contact with water, Moisture, friction, heat, flames and sparks. Eyewash and safety shower in area capable of sustained flushing. Do not eat, drink or smoke in area.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Deep. Straw to amber Liquid.

FORMULA MASS: 273.98 g/mol

ODOR: Strong. Stench.

ODOR THRESHOLD: No data available

pH: No data available

MELTING POINT/ FREEZING POINT: 13 - 14 °C / Not data available

BOILING POINT: 74 °C @ 11 mm Hg

FLASH POINT: > 65 °C

EVAPORATION RATE: Not data available

UPPER/LOWER FLAMMABILITY/EXPLOSION LIMITS: No data available

VAPOR PRESSURE at 20 deg. C: ~ 1 mm Hg

VAPOR DENSITY (air = 1): > 1

SPECIFIC GRAVITY: No data available

AUTO-IGNITION TEMPERATURE: No data available

DECOMPOSITION: No data available

VISCOSITY: No data available

Volatile Organic Compound: > 97 %

SOLUBILITY IN WATER: Insoluble in water. Reacts with water.

SECTION 10 STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable in sealed containers stored under moisture free atmosphere.

CONDITIONS TO AVOID: Extreme temperatures, heat, flames, and sparks. Exposure to moisture.

INCOMPATIBILITY: Moisture. Water.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide. Carbon monoxide. Hydrogen telluride. Organic fumes. Silicon dioxide.

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: Oral: Toxic if swallowed. Inhalation: Vapor: Toxic, if inhaled.

Bis(trimethylsilyl)telluride (4551-16-0)

ATE US (oral) 100.000 mg/kg body weight

ATE US (vapors) 3.000 mg/l/4h

SKIN CORROSIVE/IRRITANT: No data available

SEROUS EYE DAMAGE/IRRITATION: No data available

RESPIRATORY OR SKIN SENSITIZATION: No data available

GERM CELL MUTAGENICITY: No data available

CARCINOGENICITY: No data available.

REPRODUCTIVE TOXICITY: No data available

STOT-Single Exposure: No data available

STOT-Repeated Exposure: No data available

ASPIRATION HAZARD: No data available

Potential Adverse human health effects and symptoms: Even at less than 0.1mg Te/m3 can impart a garlic-like odor to the breath which can take weeks to subside.

SECTION 12 ECOLOGICAL DATA

TOXICITY: No data available

PERSISTENCE AND DEGRADABILITY: No data available

BIOACCUMULATIVE POTENTIAL: No data available

MOBILITY IN SOIL: No data available

OTHER ADVERSE EFFECTS: No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.

SECTION 14 TRANSPORTATION DATA

Tellurium compound, n.o.s. (Bis(Trimethylsilyl)Telluride)

UN3284

Class 6.1 - Poisonous materials

PG III

IATA and DOT Regulated

Marine Pollutant: No data available

SECTION 15 REGULATORY INFORMATION

INDUSTRIAL SAFETY AND HEALTH ACT: Title compound not listed.

Toxic Substances Control Act: CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 C.F.R. 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 C.F.R. 720.3 (ee). The use of this material for "commercial purposes" as defined by 40 C.F.R. 720.3(r) is not permitted in the United States. Not listed on the United States TSCA (Toxic Substances Control Act) inventory.

DANGEROUS MATERIAL SAFETY CONTROL ACT:

Title compound not listed.

WASTES MANAGEMENT ACT: Title compound not listed.

OTHER REQUIREMENTS IN DOMESTIC AND OTHER COUNTRIES:

U.S. - California - Proposition 65 - Carcinogens List

No U.S. - California - Proposition 65 - Developmental Toxicity

No U.S. - California - Proposition 65 - Reproductive Toxicity - Female

No U.S. - California - Proposition 65 - Reproductive Toxicity - Male No

SECTION 16 OTHER INFORMATION

Abbreviations and acronyms: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organization for Economic Co-operation and Development

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Wonik Materials North America makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 09/2018

SDS DEPT

Bis(Trimethylsilyl)Telluride